

Jetting Guideline for Compressor Capacity

Guidelines for single fiber/ cable based on OD Cabledimension

Trigg AIR +MJet V0

Duct/Pipe/Rohr up to \varnothing 4 mm	0.1 m ³ / min (I-Comp3)
Duct/Pipe/Rohr \varnothing 4 -7mm	0,3 m ³ / min (I-Com3)
Duct/Pipe/Rohr \varnothing 8 - 12 mm	0,6 m ³ / min (M13)
Duct/Pipe/Rohr \varnothing 12 - 16 mm	1..0 m ³ / min (M17)

MJet V1+V2

Duct/Pipe/Rohr up to \varnothing 8 mm	0.6 m ³ / min (M13)
Duct/Pipe/Rohr \varnothing 8 - 12 mm	1.0 m ³ / min (M17)
Duct/Pipe/Rohr \varnothing 12 - 16 mm	1.9 m ³ / min (M27)
Duct/Pipe/Rohr \varnothing 17 - 20 mm	3.0 m ³ / min (M59)
Duct/Pipe/Rohr \varnothing 32 mm	7 m ³ / min (M125)
Duct/Pipe/Rohr \varnothing 40 mm	9 m ³ / min (M125)
Duct/Pipe/Rohr \varnothing 50 mm	10 m ³ / min (M125)

MJet V3

Duct/Pipe/Rohr up to \varnothing 8 mm	0.6 m ³ / min (M13)
Duct/Pipe/Rohr \varnothing 8 - 12 mm	1.0 m ³ / min (M17)
Duct/Pipe/Rohr \varnothing 12 - 16 mm	1.9 m ³ / min (M27)
Duct/Pipe/Rohr \varnothing 17 - 20 mm	3.0 m ³ / min (M59)
Duct/Pipe/Rohr \varnothing 32 mm	7,0 m ³ / min (M125)
Duct/Pipe/Rohr \varnothing 40 mm	9.0 m ³ / min (M125)
Duct/Pipe/Rohr \varnothing 50 mm	10.0 m ³ / min (M125)
Duct/Pipe/Rohr \varnothing 63 mm	11,5. m ³ / min (M171)